

Hardware system for all-glass sliding doors with concealed suspension

HAWA-Puro 100–150



Bright prospects for transparent room design with unique,
fully integrable sliding hardware

HAWA-Puro 100–150




Do you want to partition and design rooms with glass? Then look forward to a hardware system that does true justice to the elegance and transparency of this attractive material: the new HAWA-Puro 100–150. Its chief attraction: you can completely integrate its top tracks in both concrete and suspended ceilings. Thus, in conjunction with concealed suspension, it makes the design ideal of the invisible hardware system a reality. In addition it can become an attractive eye-catcher with surface-mounted top tracks. Either way it is an excellent choice for use in public and private rooms.

About the product

Fascinating aesthetics, excellent sliding properties, exemplary ease of installation: these are a few reasons that make HAWA-Puro sliding solutions an undiluted pleasure. High-quality runner bearing technology allows you to move doors weighing up to 150 kg (330 lbs.) effortlessly and quietly along anodised top tracks. During assembly you can benefit from advantages such as removable additional profiles for conveniently covering and integrating stationary glass units, punctiform rattle-proof floor guides, centric glass suspension, and the new, patent-pending wedge suspension. No wonder, then, that the HAWA-Puro 100–150 is held in high repute not only by design purists.


Another HAWA-Puro advantage: flexible combination options for one-sided stationary wood and/or glass sections, or as sliding door pockets on both sides.



Technical specifications


Door weight	
up to	100, 150 kg (220, 330 lbs.)
Glass thickness of sliding door	
ESG	8/10/12/12,7 mm ($\frac{5}{16}$ "/ $\frac{13}{32}$ "/ $\frac{15}{32}$ "/ $\frac{1}{2}$ ")
VSG	8–13 mm ($\frac{5}{16}$ "/ $\frac{33}{64}$ ")
Glass thickness for stationary glass	
ESG/ VSG	8–12 mm ($\frac{5}{16}$ "/ $\frac{15}{32}$ ")
Trolleys	
HAWA-Puro 100	4 rollers
HAWA-Puro 150	6 rollers

Wedge suspension for sliding glass doors




Patent pending: wedge suspension that sets new standards for fast assembly and easy height adjustment for sliding glass doors.

Joint profile for suspended ceiling



Facilitates the design of suspended lightweight ceilings: the ceiling joint profile that matches the top track and carries up to 15 kg (33 lbs.) per metre.


HAWA-Adapto 100-150/P lets top tracks disappear into the ceiling




Integration of the top track in a concrete ceiling: Integrating the HAWA-Adapto 100-150/P inset system into the building shell is easy and cost-effective and enables top tracks to be fitted flush with the ceiling.




Floor guide variant



Continuous, rattle-proof floor guide.



Rattle-proof floor guide, 2-part.





Easy, rattle-proof and stable sliding: with a two-part floor guide or continuous guiding profile recommended for widths from approx. 1500 mm (4'11^{1/16}"). And top and bottom door stoppers that stop doors quietly and gently.

The perfect finishing touch: accessories and supplementary parts

Floor/wall profile for stationary glass

Elegant stability for stationary glass: the surface mounted or flush-fitting retention profile. Or, for light loads, just with the glass retainer fitting measuring only 50 mm ($1\frac{31}{32}$) in length.



Black glass centering assemblies integrated in wall profile.

Or grey to screwing on.


Wall profile with centering assemblies

Easily fitted and quickly positioned: the profile with an integrated rubber stop is the perfect wall fixture for all-glass sliding doors with unprotected glass edges.



Vertical seal profile


Silent, draught-free and without a trace of visible wear and tear even after years of use: The slim-line aluminium profile is a perfect match for stationary glass.



Optional alu profile with rubber seal against draughts.

HAWA-Toplock, the lock at the top

Of practical and aesthetical value: the safety lock that harmonises with any design thanks to cleverly designed plastic covers available in chromium plate, matt, brass, stainless steel or plain anodized for painting.



Wall-mounted fixture with integrated striking plate.

With counter case for two-door systems.

Available from specialist dealers

Further information:

Hawa AG
CH-8932 Mettmenstetten
Switzerland
Tel. +41 44 767 91 91
Fax +41 44 767 91 78
www.hawa.ch

