

Innovation. Style. Durability. **Plumbing Fixtures**



Innovation. Style. Durability. These are the words that have defined Bradley for over 85 years and continue to provide you and your customers with the greatest breadth of commercial washroom products in the industry. From factories, laboratories and schools, to airports, restaurants and stadiums, you can find Bradley products in installations worldwide. No matter what the design challenge, your best choice is Bradley.

TERREON® SOLID SURFACE

Good looks count. Make sure they last with Terreon solid surface material, which is certified to meet ANSI/ICPA SS-1-2001. Terreon withstands the abuse of chemicals, stains, burns, and impact. Our five-year warranty guarantees it. Ask the competition for their certifications. Then choose Bradlev.



















Canyon Tan

Jade



Cobblestone













Designer Colors



Element Colors









Blue Skv

Cornfield

Soapstone Gray

Due to printing variances, the actual color of material may differ. Material samples are available by contacting your local Bradley Representative. Designer Colors available at an additional charge. Element Colors available on limited products. Check Technical Data for more information and color availability.

_AVATORY SYSTEMS requency

The Frequency, made from Terreon, comes in a variety of styles to fit any application.

- One-of-a-kind multi-height design accommodates any user
- Includes Bradley's Aerada[™] 1200 Series CS battery operated faucet (optional plug-in adapter)



- Concave/lower stations meet ADA requirements
 - Combined rough-ins save time and maintenance









1200 Series Capacitive Sensing Faucets For more information look to pg. 3

Comes in one-,two-, and three-station configurations FL-1H, FL-1L, FL-2H, FL-2L, FL-3H, FL-3L

U.S. Patent Number 7,039,963, D477,060, D484,958, D496,450, D484,958, D507,634, D508,117, D511,205, D527,809, D537,927. Other Patents Pending

EXPRESS® LAVATORY SYSTEMS

Reduced plumbing rough-ins, faster installation and one specification are just a few of the advantages of Bradley's Express® Lavatory Systems. 50% less installation time than a bank of lavs; 73% fewer connections mean lower installation costs.

EXPRESS® LAVATORY SYSTEM MG-SERIES



- ADA, Juvenile ADA and TAS compliant
- Activation: Plug-in, battery or ndite[™]-powered infrared control / air valve or TouchTime[®] electronic pushbutton control
- 2- or 3-station configurations
- Solid surface shelf above the water line provides dry space for personal items
- One-piece solid surface sprayhead body
- Contoured stainless steel access panel
- Optional soap dispenser and electric tankless water heater



Model MG-3/IR/NSD/GRAPH

EXPRESS® LAVATORY SYSTEM SS-SERIES



- ADA, Juvenile ADA and TAS compliant
- Activation: Plug-in, battery or ndite[™]-powered infrared control / air valve or TouchTime[®] electronic pushbutton control
- 2- or 3-station configurations
- Solid surface shelf above the water line provides dry space for personal items
- Spec one product instead of numerous lav components
- · Easy maintenance with one continuous bowl to clean



SS-2N/NDT/WH/LSD-2/STAR-D

EXPRESS® CRESCENT® LAVATORY SYSTEM CRS-SERIES

- Models CRS-2/CRS-3. This sleek, low-profile design is perfect for office buildings, theaters, retail facilities and restaurants.
- 2 or 3-station configurations with the same 48" wide bowl
- Easy installation, preplumbed
- ADA, Juvenile ADA and TAS compliant
- Plug-in or battery infrared control



Model CRS-2/BIR3/LSD-2

EXPRESS® LAVATORY SYSTEM SS-SERIES

- **Models SS-1N.** Use this lavatory system by itself or to complement other Express Lavatory Systems.
- ADA, Juvenile ADA and TAS compliant
- Activation: Plug-in, or battery powered infrared control / air valve or TouchTime® electronic pushbutton control
- "Bowl only" unit to accommodate your choice of faucet
- · Optional trap cover in gray, putty, coal, or stainless steel
- Optional soap dispensers and electric tankless water heater



Model SS-1N/1R

For Color Choices on products above: See Terreon colors listed on page 1.



Bradley's patented ndite™ technology uses photovoltaic cells to convert light to energy. The energy is then stored in a proprietary battery-free power system, which provides power to the sensors and valves. Whether natural light or normal room level lighting, the cells continue to capture light and store energy for later use, completely eliminating the need for an electrical hook-up or any batteries.

TERREON LAV DECKS™

Terreon Lav Decks are designed to fit any application. All Lav Decks feature integrated solid surface bowls that reduce mildew growth and bacterial build-up. Your order is shipped complete to the job site, ready for installation.



Model LD-3060 Series. Exclusive contoured front apron gives this series a look all its own.

- Available in nine standard configurations
- · Optional contoured acrylic trap cover
- Optional waste receptacle openings
- Molded bowl overflow



Model LD-3010 Series. Quality and performance never looked this good.

- · Standard and modified units
- Roundover or bevel-style edging
- Accommodates your choice of faucet and soap dispenser
- Optional ADA-compliant stainless steel trap cover
- Durable design ensures years of product performance and beauty
- Molded bowl overflow







Model TCS Series. With unlimited options available, the design possibilities are endless.

Applications include:

- Classrooms
- Break Rooms
- Cafeterias
- Healthcare Facilities



- Optional waste receptacle openings and four-sided drip ledge around sink perimeter
- Variety of integral bowl options available, create the perfect custom solution



For Color Choices on products above: See Terreon colors listed on page 1.

AERADA™ FAUCETS

You won't find just another faucet here. Aerada faucets provide the quality, style and vandal resistance that you have come to expect from Bradley.

Applications include:

- Hospitals
- Laboratories
- Schools
- Offices
- Other Commerical Settings



90-75 Series Metering Faucets.

- Light-touch operation
- Consistent 10-second operating cycle

Model S53-053 shown





1000 Series Gooseneck Faucets.

- Reliable infrared activation
- Battery operated (DC) or AC models

Model S53-306 shown



900 Series Futura Faucets

- Faucet powered by a 24V Class II transformer
- Centershank, 4" or 8" center set mounting

Model S53-141 shown





1200 Series Capacitive Sensing Faucets.

- Capacitive sensing technology allows activation from any angle of approach
- Innovative and stylish design is coupled with user-friendly activation

Model S53-315 shown





WASHFOUNTAINS

Bradley invented the washfountain in 1921 and remains the industry leader today. Choose from the widest variety of styles, materials and colors, including barrier-free models.

Applications include:

- Heavy-duty Manufacturing
- Food Processing
- Medical
- Schools and Stadiums

Washfountain Activation

Classics: Foot, Infrared, Air Metering Valve, TouchTime® Extra Height Terreon Classic: Infrared, Air Metering Valve, Touch Time®

Configurations

Sizes: 36" and 54" Diameter Shapes: Corner, Semi and Full Circle Spray Heads: 3, 4, 5 and 8 stations

CLASSIC WASHFOUNTAINS (EXCLUSIVE)



Terreon. Rugged, repairable solid surface bowl combines good looks with durability.

Terreon color options:





Soapstone Gray

Canyon Tan







Extra Height Terreon® Classic Model WF3204

Terrazzo. The natural look and durability has made this washfountain the choice for decades.

Terrazzo color options:









Dusty Rose®

Classic Terrazzo Model WF2604



Premium

Bradstone®. The thermo-set polyester bowl is economical and offers strength and corrosion resistance.

Bradstone color options:







Stainless Steel. Heavy-duty construction provides years of maintenance-free service, and continuous bowl design makes short work of cleanup.



Classic Bradstone® Model WF2808



Classic Stainless Model WF2708

SENTRY® WASHFOUNTAIN

Heavy-duty construction provides years of maintenance-free service and continuous bowl design makes short work of cleanup. This allstainless steel design is a quality, economical choice.

- The only washfountain with all-stainless steel construction standard
- Available in floor-mounted or wall-hung models
- · Infrared or metering activation available
- Sectional sprayhead dispensing .5GPM per user
- One set of water supply and waste connections reduces installation time and maintenance costs

TERREON DEEP BOWL WASHFOUNTAIN



Only the Terreon Deep Bowl is designed to provide barrier-free service in a heavy-duty hand washing environment.

- Deep bowl design with full spray ring
- Solid surface, fast draining, easy-to-maintain design

Configurations

Size: 36" and 54" Shape: Semi Circle Size: 36" and 54" Shape: Full Circle Spray Heads: 3, 4, 5 and 8 stations



36" Semi-Circular Terreon® Deep Bowl Model TDB3103 (Wall-hung version)

22 40 00/BRA

BuvLine 3362

Washfountains. A smart choice over sinks.

Bradley Washfountains provide more handwashing stations per square foot than conventional lavatories, allowing more people through the wash area in a shorter time. Deeper bowl depth and full spray ring allow for heavy-duty hand/arm washing.

- One valve set saves maintenance time
- One continuous bowl surface cuts cleaning time
- Available with ASSE-certified mixing valves

- Requires less floor space than sinks
- Tougher than china bowls to deter vandalism
- One set of water supplies conserves water & cuts installation time

MULTI-FOUNTS™

Our contemporary styled Multi-founts are designed for light to moderate-duty hand washing. Made of Terreon or Terrazzo, these Bradley products have heavy-duty construction, are vandal-resistant, and have single supply connections, lowering installation costs. As part of our green building design commitment, they also have individual controls to help save water and conserve energy.

Applications include:

- Schools
- Offices
- Restaurants
- Sports and Entertainment Facilities
- Light Industry

WALL-HUNG TERREON MULTI-FOUNTS

The light weight and strength of Terreon allows variable wall heights and clear floor space.

TERREON/TERRAZZO MULTI-FOUNTS



Configurations

Size: 27", 36" and 46" Shapes: Corner and Wall Spray Heads: 2, 3 and 4 stations



For Color Choice on products above: See Terreon colors listed on page 1 & Terrazzo colors listed on page 4.

PATIENT CARE

Save the space and costs associated with traditional bathrooms. Providing lavatory and water closets in the patient's room maximizes patient safety and staff productivity. Developed in conjunction with healthcare providers, Bradley's Patient Care units are sure to meet your design needs.

- Terreon® countertops with integral bowls make maintenance a snap
- Cabinets available in Wilsonart®, Formica®, Nevamar® and other brand laminates Lightweight and preassembled for easy, low cost installation
- Hands-free infrared or pedal control reduce the spread of germs
- Water closet heights are ADA compliant
- Left and right side configurations

Applications include:

- Hospitals
- Clinics
- Nursing Homes
- Assisted Living Facilities

MODEL LC840



- 40-inch-wide footprint conserves space in small areas
- Terreon countertop (available in all Terreon colors except Element Series)
- Stainless steel water closet
- ADA-height compliant fixed-position water closet
- Built-in bedpan washers and spray attachments
- Fold-down seat cover conceals water closet and provides additional seating
- Optional single or dual valve dialysis boxes
- Spacious storage cabinet for personal items

MODEL LC700/LC750

- Terreon countertop (available in all Terreon colors except Element Series)
- Dual Viton® seals provide a leakproof swing-out water closet
- Easy-to-use foot pedal release mechanism on water closet
- Heavy-duty stainless steel frame
- Foot-operated or volume control bedpan washer
- Optional single or dual valve dialysis boxes
- Spacious storage cabinet for personal items





Model LC700 shown

SECURITY FIXTURES

Built for the most vandal-prone environment, Bradley security fixtures are made of heavy-gauge stainless steel, designed to withstand years of abuse.

Applications include:

- Prisons
- Jails
- Park and Rec
- Campgrounds
- Rest Stops

LAVATORY

- Oval or rectangular bowl
- Front or chase mount LAV6175 shown



COMBINATION UNITS

- · Maximum utility in minimum space
- Front mount or chase mount Combi5500 shown



URINAL

- · Flushing rim washes all four walls
- Front mount or chase mount URI8002FM shown



TOILET

- · Siphon jet or blow-out jet
- Front mount or chase mount WC7245 shown



EMERGENCY FIXTURES

Reliable performance. Each time. Every time. When seconds count, you can count on Bradley to comply with the ANSI Z358.1-2004 safety standard.

Applications include:

- Labs Schools
- Construction Sites
- Manufacturing Facilities
- Anywhere chemical or hazardous material exposure is present.

WALL-MOUNTED EYEWASH WITH DUST COVER

Model S19-220DC

- Stainles Steel bowl with hinged stainless steel dust cover
- Opens and activates in one step
- · Galvanized steel protected with Bradtect™ safety yellow coating



COMBINATION DRENCH SHOWER AND FYEWASH

Model S19-310

- · Galvanized steel protected with Bradtect[™] corrosion resistant safety yellow coating
- · Safety vellow facilitates identification during an emergency
- · Universal identification sign and inspection tag included



STAINLESS STEEL RECESSED COMBO DRENCH SHOWER/EYEWASH

Model S19-315BF

- Barrier Free
- · Use when freestanding or wall-mounted unit would be an obstacle
- · Sleek, concealed, flush-mounted eyewash
- Evewash activates when door is opened
- · Gas spring descends door in a smooth and controlled manner
- Eyewash waste water collected by drain pan
- Fully recessed shower activation handle

SWING-ACTIVATED EYE/ **FACF WASH**

Model S19-270JD

- Eve/Face wash provides a gentle flow of water for rinsing both eyes and face
- One-step activation meets ANSI Z358.1-2004
- Chrome-plated brass pipe and fittings



${ m f Q}{ m f R}^{\circ}$ THERMOSTATIC MIXING VALVES

Bradley Navigator® is a single-valve system that sets a new direction for thermostatic mixing valves. Straightforward. Simplified. With lower cost, quicker installation and easier maintenance than the competition. Backed by the industry's best warranty.

HIGH LOW

Models HL200, HL130, HL80, HL45

- Single-valve design handles both high and low demand for tempered water
- Shut-off of hot water when cold water fails
- Accurate temp. control to within +/-3°F
- Max. operating pressure: 125 PSI (860 kPA)
- Max. inlet temperature: 200°F (93°C)



Model HL80 shown

VERNATHERM

Model S59-4004, S59-4008, S59-4015

- 1/2" Inlet, 1/2" Outlet / 3/4" Inlet,



Model S59-4004 Shown

STANDARD

Models TMV200, TMV130, TMV80, TMV45, TMV25

- Hot water shut-off if cold water fails
- Accurate temp. control to within +/-3°F
- Max.operating pressure: 125 PSI (860 kPA)
- Max. inlet temperature: 200°F (93°C)



Model TMV130 shown

3/4" Outlet

- 0.5 minimum flow capacity
- · Ideal for use with lavatory faucets

EMERGENCY

Models EFX125, EFX60, EFX25, EFX 8

- Provides tepid water per ANSI Z358.1-2004 requirements
- Shut-off of hot water when cold water fails
- Fixed ports assure cold water is always available
- Accurate temp. control to within +/-3°F
- Max. inlet temperature: 180°F (82°C)



Model S19-2100 shown

SHOWERS

Looking for shower solutions that withstand the test of time and provide a solid foundation for your functional needs? Bradley offers an extensive line of shower systems to provide you with the widest array of design choices available. All showers available with pressure balancing, thermostatic mixing, electronic metering, pneumatic metering, or single compression valve.

Applications include:

- Health Clubs
- Schools
- Sports Facilites
- Hospitals
- Park and Rec

IN-WALL SHOWER

Model 1C

- 1/2" NPT connections
- Available with shower heads, hand showers and tub spouts
- Available in ADA-compliant models Model IC-C5-S shown



ECONO WALL™ SHOWER

Model WS-3W, WS-2W

- Prefabricated multi-person wall shower
- One set of supplies for 2 3 showerheads
- Eliminates in-wall piping Model WS-3W shown



Model WS-1X, WS-1WCA

- Single person pre-fabricated shower
- · Eliminates in-wall piping
- Designed for easy installation and maintenance
 - Model WS-1X shown



ADA-COMPLIANT WALL SHOWER



Model HN200, HN250

- Various configurations available to meet accessibility challenges
- Includes hand shower, diverter, seat, grab bar, and curtain



PANELON®

Model 1PA

- · Easy accessibility to piping
- Ideal for remodeling; bypass worn out valves and piping without costly wall and tile repair
- Custom fabricated to your application



COLUMN SHOWER

Model COL-6C, COL-5C, COL-4C, COL-3C, COL-2C

- 2- to 6-person
- Prefabricated column shower
- Easy accessibility to piping
- One set of supplies for 2 6 showerheads
- Position in center of shower room allows for easy supervision

Model COL-5C shown

