



Innovation. Style. Durability. These are the words that have defined Bradley for over 85 years and continue to provide you and your customers with the greatest breadth of commercial washroom products in the industry. From factories, laboratories and schools, to airports, restaurants and stadiums, you can find Bradley products in installations worldwide. No matter what the design challenge, your best choice is Bradley.

TERREON® SOLID SURFACE

Good looks count. Make sure they last with Terreon® solid surface material, which is certified to meet ANSI/ICPA SS-1-2001. Terreon withstands the abuse of chemicals, stains, burns, and impact. Our ten-year warranty guarantees it. Ask the competition for their certifications. Then choose Bradley.

TERREON STANDARD COLORS



TERREON DESIGNER COLORS




TERREON ELEMENT COLORS

Due to printing variances, the actual color of material may differ. Material samples are available by contacting your local Bradley Representative. Designer Colors available at an additional charge. Element Colors available on limited products. Check Technical Data for more information and color availability.

Frequency® LAVATORY SYSTEMS

The Frequency, made from Terreon, comes in a variety of styles to fit any application.

- One-of-a-kind multi-height design accommodates any user
- Includes Bradley's Aerada™ 1200 Series CS battery operated low arc faucet (optional plug-in adapter)
- Concave/lower stations meet ADA requirements
- Combined rough-ins save time and maintenance



Comes in one-, two-, and three-station configurations
FL-1H, FL-1L, FL-2H, FL-2L, FL-3H, FL-3L

U.S. Patent Number 7,039,963, D477,060, D484,958, D496,450, D484,958, D507,634, D508,117, D511,205, D527,809, D537,927. Other Patents Pending
bradleycorp.com



THE NDITE® STORY

The patented ndite® technology developed by Bradley uses photovoltaic cells to convert light to energy. The energy is stored in a proprietary battery-free power system, which provides energy to the sensors and valves. Whether natural light or normal room level lighting, the cells continue to capture light and store the energy for later use.

LIGHT-POWERED

Normal room level lighting provides all the energy ndite technology needs to activate the flow of water.



NO BATTERIES REQUIRED

ndite technology eliminates the need for any batteries



ENVIRONMENTALLY FRIENDLY

No additional energy is required in the restroom other than the existing room lighting.



ECONOMICAL

No maintenance costs to replace defective or used batteries.




US Pat# D511,821
US Pat # D527,085
US Pat # D539,400
UK Pat # 2428004B,
Other Patents Pending

EXPRESS® LAVATORY SYSTEMS

Reduced plumbing rough-ins, faster installation and one specification are just a few of the advantages of Bradley's Express® Lavatory Systems. 50% less installation time than a bank of lavs; 73% fewer connections mean lower installation costs.

Express offers more options than any other lav system including:

- ADA, Juvenile ADA and TAS compliant 
- Optional soap dispenser, electric tankless water heater and ndite technology
- Spec one product instead of numerous lav components

EXPRESS LAVATORY SYSTEM MG-SERIES

Models MG-2/MG-3. Stand out from the ordinary with this industry-leading design.

- Activation: Plug-in, battery or ndite-powered infrared control / air valve or TouchTime® electronic pushbutton control
- Solid surface shelf above the water line provides dry space for personal items
- One-piece solid surface sprayhead body
- Contoured stainless steel access panel



Available with


Model MG-3/IR/NSD/GRAPH

EXPRESS LAVATORY SYSTEM SS-SERIES

Models SS-1N/SS-2N/SS-3N. Personal space for each user with the economy of a multi-station fixture.

- Activation: Plug-in, battery or ndite-powered infrared control / air valve or TouchTime® electronic pushbutton control
- Solid surface shelf above the water line provides dry space for personal items
- Easy maintenance with one continuous bowl to clean



Shown with


SS-2N/NDT/WH/LSD-2/STAR-D

EXPRESS CRESCENT® LAVATORY SYSTEM CRS-SERIES

Models CRS-2/CRS-3. This sleek, low-profile design is perfect for office buildings, theaters, retail facilities and restaurants.

- Easy installation, preplumbed
- Plug-in or battery infrared control
- 2- or 3-station configurations with same 48" wide bowl



Model CRS-2/BIR3/LSD-2

EXPRESS LAVATORY SYSTEM EXD-SERIES

Models EXD-2N/ESD-3N. The convenience of a Lav System with the flexibility to accommodate your choice of faucet.

- Standard Lavatory Spacing on 30" Centers
- Installs in 50% less time than a bank of China lavs



Model EXD-2N

TERREON LAV DECKS™

22 40 00/BRA
BuyLine 3362



Terreon Lav Decks are designed to fit any application. All Lav Decks feature integrated solid surface bowls that inhibit mildew growth and bacterial build-up. Your order is shipped complete to the job site, ready for installation.

NEW Model LD-3070 Series. Introducing Terreon Vessel Sinks—lasting beauty to enhance your space.

- Multi-height vessel design flexibility to accommodate ADA
- Straight or curved deck design option
- Available in 1-, 2-, or 3-station models
- One-piece design: Vessel sinks are pre-mounted
- Continuous bullnose edging
- Choose your own deck- or wall-mounted faucet



Model LD-3010 Series. Quality and performance never looked this good.

- Ready for installation, no fabrication required on-site
- Standard or modified dimensions to fit any application
- Integral covered backsplash
- Mix or match bowl and deck colors
- ADA-compliant configurations
- Molded water overflow



Model LD-3060 Series. Exclusive contoured front apron gives this series a look all its own.

- Exclusive contoured front apron
- Available in nine standard configurations
- Optional integral bowls, side and front aprons, side and backsplashes
- Optional contoured acrylic trap cover and waste receptacle openings
- Can be packaged with accessories: faucets, soap dispensers and waste receptacles—one package, no headaches
- Molded water overflow



For Color Choices on products above: See Terreon colors listed on page 1.

AERADA™ FAUCETS



You won't find just another faucet here. Aerada faucets provide the quality, style and vandal resistance that you have come to expect from Bradley.

Applications include:

- Hospitals
- Laboratories
- Schools
- Offices
- Other Commercial Settings

90-75 Series Metering Faucets.

- Light-touch operation
- Consistent 10-second operating cycle

Model S53-053 shown



1000 Series Gooseneck Faucets.

- Reliable infrared activation
 - Battery operated (DC) or AC models
- Model S53-326 shown*



900 Series Futura Faucets

- Faucet powered by a 24V Class II transformer
- Centershank, 4" or 8" center set mounting

Model S53-141 shown



1200 Series Capacitive Sensing Faucets.

- Capacitive sensing technology allows activation from any angle of approach
 - Gooseneck and low arc models available
- Model S53-315 shown*



Washfountains. A smart choice over sinks.

Bradley Washfountains provide more handwashing stations per square foot than conventional lavatories, allowing more people through the wash area in a shorter time. Deeper bowl depth and full spray ring allow for heavy-duty hand/arm washing.

- One valve set saves maintenance time
- Requires less floor space than sinks
- One continuous bowl surface cuts cleaning
- Tougher than china bowls to deter vandalism
- Available with ASSE-certified mixing valves
- One set of water supplies conserves water & cuts installation time
- CUPC Certified



WASHFOUNTAINS

Bradley invented the washfountain in 1921 and remains the industry leader today. Choose from the widest variety of styles, materials and colors, including barrier-free models.

Applications include:

- Heavy-duty Manufacturing
- Food Processing
- Medical
- Schools and Stadiums

Washfountain Activation


Classics: Foot, Infrared, Air Metering Valve, TouchTime
Extra Height Terreon Classic: Infrared, Air Metering Valve, TouchTime

Configurations

Sizes: 36" and 54" Diameter
Shapes: Corner, Semi and Full Circle
Spray Heads: 3, 4, 5 and 8 stations

CLASSIC WASHFOUNTAINS

Terreon. Rugged, repairable solid surface bowl combines good looks with durability.



Canyon Tan

Soapstone Gray



Classic Terreon
Model WF2504



Extra Height Terreon Classic
Model WF3204

Terrazzo. The natural look and durability has made this washfountain the choice for decades.


Standard



Granito

White Marmorite

Premium




Dusty Rose®

Whisper Gray®



Classic Terrazzo
Model WF2604

Bradstone™. The thermo-set polyester bowl is economical and offers strength and corrosion resistance.



Sandbox

Carbon



Classic Bradstone™
Model WF2808

Stainless Steel. Heavy-duty construction provides years of maintenance-free service, and continuous bowl design makes short work of cleanup.



Classic Stainless
Model WF2708

- ❖ Due to printing variances, the actual material color may differ. Contact your local Bradley Representative for samples.

SENTRY® WASHFOUNTAIN

22 40 00/BRA
BuyLine 3362

Heavy-duty construction provides years of maintenance-free service and continuous bowl design makes short work of cleanup. This all-stainless steel design is a quality, economical choice.

- The only washfountain with all-stainless steel construction standard
- Available in floor-mounted or wall-hung models
- Infrared or metering activation available
- Sectional sprayhead dispensing .5GPM per user
- One set of water supply and waste connections reduces installation time and maintenance costs

Configurations

Size: 36" and 54" Shape: Semi Circle

Size: 36" and 54" Shape: Full Circle

Size: 36" and 54" Shape: Corner

Spray Heads: 3, 4, 5 and 8 stations



Sentry
Model SN2004

TERREON DEEP BOWL WASHFOUNTAIN

 Only the Terreon Deep Bowl is designed to provide barrier-free service in a heavy-duty hand washing environment.

- Deep bowl design with full spray ring
- Solid surface, fast draining, easy-to-maintain design

Configurations

Size: 36" and 54" Shape: Semi Circle

Size: 36" and 54" Shape: Full Circle

Spray Heads: 3, 4, 5 and 8 stations



36" Semi-Circular
Terreon Deep Bowl
Model TDB3103
(Wall-hung version)

MULTI-FOUNTS®

Our contemporary styled Multi-founts are designed for light to moderate-duty hand washing. Made of Terreon or Terrazzo, these Bradley products have heavy-duty construction, are vandal-resistant, and have single supply connections, lowering installation costs. As part of our green building design commitment, they also have individual controls to help save water and conserve energy.

Applications include:

- Schools
- Offices
- Restaurants
- Sports and Entertainment Facilities
- Light Industry

WALL-HUNG TERREON MULTI-FOUNTS

The light weight and strength of Terreon allows variable wall heights and clear floor space.

For Color Choices on products above:
See Terreon colors listed on page 1.



Wall-Hung Terreon Quadra-Fount®
Model MF2949



Terreon Quadra-Fount®
Model MF2944

TERREON/TERRAZZO MULTI-FOUNTS

Configurations

 Size: 27", 36" and 46"

Shapes: Corner and Wall


Spray Heads: 2, 3 and 4 stations

Available Colors*

Standard



Granito




White
Marmorite

Premium



Dusty
Rose



Whisper
Gray



Terreon Tri-Fount™
Model MF2933

EMERGENCY FIXTURES

Reliable performance. Each time. Every time. When seconds count, you can count on Bradley to comply with the ANSI Z358.1-2004 safety standard.

Applications include:

- Labs
- Schools
- Construction Sites
- Manufacturing Facilities
- Retail
- Mining
- Industrial
- Ethanol/Oil Refiners
- Healthcare
- Food Processing

SWING-ACTIVATED EYE/FACE WASH

Model S19-270JD

- Eye/Face wash provides a gentle flow of water for rinsing both eyes and face
- One-step activation meets ANSI Z358.1-2004
- Chrome-plated brass pipe and fittings



COMBINATION DRENCH SHOWER AND EYEWASH

Model S19-310

- **NEW** Spin Tec™ showerhead improves water distribution
- Galvanized steel protected with BradTect® corrosion resistant safety yellow coating
- Safety yellow facilitates identification during an emergency
- Universal identification sign and inspection tag included



STAINLESS STEEL RECESSED COMBO DRENCH SHOWER/EYEWASH

Model S19-315BF

- **NEW** Spin Tec™ showerhead improves water distribution
- Barrier Free
- Use when freestanding or wall-mounted unit would be an obstacle
- Sleek, concealed, flush-mounted eyewash
- Eyewash activates when door is opened
- Gas spring lowers door in a smooth and controlled manner
- Eyewash waste water collected by drain pan
- Fully recessed shower activation handle



WALL-MOUNTED EYEWASH WITH DUST COVER

Model S19-220DC

- Exceeds ANSI Z358 mandated flow rate
- Stainless Steel bowl with hinged stainless steel dust cover
- Opens and activates in one step
- Galvanized steel protected with Bradtect™ safety yellow coating



NAVIGATOR® THERMOSTATIC MIXING VALVES

Bradley Navigator® is a single-valve system that sets a new direction for thermostatic mixing valves. Straightforward. Simplified. With lower cost, quicker installation and easier maintenance than the competition. Backed by the industry's best warranty.

*Lead-free valves available in 2009.

VERNATHERM™ VALVES

Model S59-4004, S59-4008, S59-4015

- 1/2" Inlet, 1/2" Outlet / 3/4" Inlet, 3/4" Outlet
- 0.5 minimum flow capacity
- Ideal for use with lavatory faucets



Model S59-4004 shown

NAVIGATOR® EMERGENCY VALVES

Models EFX125, EFX60, EFX25, EFX 8

- Provides tepid water per ANSI Z358.1-2004 requirements
- Fixed ports assure cold water is always available
- Shut off to hot water if cold water is lost
- Accurate temp. control to within +/-3°F
- Max. inlet temperature: 180°F (82°C)



Model S19-2100 shown

NAVIGATOR® HIGH LOW VALVES

Models HL200, HL130, HL80, HL45

- Single-valve design handles both high and low demand for tempered water
- Shut-off of hot water when cold water fails
- Accurate temp. control to within +/-3°F
- Max. operating pressure: 125 PSI (860 kPa)
- Max. inlet temperature: 200°F (93°C)



Model HL80 shown

NAVIGATOR® STANDARD VALVES

Models TMV200, TMV130, TMV80, TMV45, TMV25

- Hot water shut-off if cold water fails
- Accurate temp. control to within +/-3°F
- Max. operating pressure: 125 PSI (860 kPa)
- Max. inlet temperature: 200°F (93°C)



Model TMV130 shown

*Lead-free valves contain less than 0.25% lead.

SHOWERS

Looking for shower solutions that withstand the test of time and provide a solid foundation for your functional needs? Bradley offers the most durable and reliable commercial shower on the market. All showers available with pressure balancing, thermostatic mixing, electronic metering, pneumatic metering, or single compression valve.

Applications include:

- Health Clubs
- Schools
- Sports Facilities
- Hospitals
- Park and Rec

IN-WALL SHOWER

Model 1C

- 1/2" NPT connections
- Available with shower heads, hand showers and tub spouts
- Available in ADA-compliant models



Model IC-C5-S shown

ECONO WALL™ SHOWER

Model WS-3W, WS-2W

- Prefabricated multi-person wall shower
- One set of supplies for 2 – 3 showerheads
- Eliminates in-wall piping



Model WS-3W shown

INDIVIDUAL WALL SHOWER

Model WS-1X, WS-1WCA

- Single person pre-fabricated shower
- Eliminates in-wall piping
- Designed for easy installation and maintenance



Model WS-1X shown



ADA-COMPLIANT WALL SHOWER

Model HN200, HN250

- Various configurations available to meet accessibility challenges
- Includes hand shower, diverter, seat, grab bar, and curtain



Model HN200 shown

PANELON®

Model 1PA

- Easy accessibility to piping
- Ideal for remodeling; bypass worn out valves and piping without costly wall and tile repair
- Custom fabricated to your application



COLUMN SHOWER

Model COL-6C, COL-5C, COL-4C, COL-3C, COL-2C

- 2- to 6-person
- Prefabricated column shower
- Easy accessibility to piping
- One set of supplies for 2 – 6 showerheads
- Position in center of shower room allows for easy supervision



Model COL-5C shown

PATIENT CARE

Save the space and costs associated with traditional bathrooms. Providing lavatory and water closets in the patient's room maximizes patient safety and staff productivity. Developed in conjunction with healthcare providers, Bradley's Patient Care units are sure to meet your design needs.

- Terreon® countertops with integral bowls make maintenance a snap
- Cabinets available in Wilsonart®, Formica®, Nevamar® and other brand laminates
- Hands-free infrared or pedal control reduce the spread of germs
- Water closet heights are ADA compliant
- Lightweight and preassembled for easy, low cost installation
- Left and right side configurations

Applications include:

- Hospitals
- Clinics
- Nursing Homes
- Assisted Living Facilities

MODEL LC840

- 40-inch-wide footprint conserves space in small areas
- Terreon countertop with covered backsplash and no-drip edge
- ADA-height compliant stainless steel water closet
- Built-in bedpan washers and spray attachments
- Fold-down seat cover conceals water closet and provides additional seating
- Optional single or dual valve dialysis boxes
- Spacious storage cabinet for personal items
- Stainless Steel toe-kick



MODEL LC700/LC750

- Terreon countertop with covered backsplash and no-drip edge
- Dual Viton® seals provide a leakproof swing-out water closet
- Easy-to-use foot pedal release mechanism on water closet
- Heavy-duty stainless steel frame
- Foot-operated or volume control bedpan washer
- Optional single or dual valve dialysis boxes
- Spacious storage cabinet for personal items
- Stainless Steel toe-kicks



Model LC700 shown

SECURITY FIXTURES

For the most vandal-prone environment, our fixtures are made of heavy-gauge stainless steel, designed to withstand years of abuse.

Applications include:

- Prisons
- Jails
- Park and Rec
- Campgrounds
- Rest Stops

LAVATORY

- Oval or rectangular bowl
- Front or chase mount
- LAV6175 shown



URINAL

- Flushing rim washes all four walls
- Front mount or chase mount
- URI8002FM shown



COMBINATION UNITS

- Maximum utility in minimum space
- Front mount or chase mount
- Combi5500 shown



TOILET

- Siphon jet or blow-out jet
- Front mount or chase mount
- WC7245 shown

