

Ask Sherwin-Williams.™

[sherwin-williams.com](http://sherwin-williams.com)

[swgreenspecs.com](http://swgreenspecs.com)

[swcolorsamples.com](http://swcolorsamples.com)



**SHERWIN-WILLIAMS®**

## INTERIOR ARCHITECTURAL COATINGS

Listed below are just a few quality Interior Commercial products you have come to expect from Sherwin-Williams, yet we offer so much more: Duration Home<sup>®</sup>, Cashmere<sup>®</sup>, SuperPaint<sup>®</sup>, Builders Solution<sup>®</sup>, Harmony<sup>®</sup>, ProGreen<sup>®</sup> 200, E-Barrier<sup>™</sup> and PrepRite<sup>®</sup> Primers. For over 140 years, Sherwin-Williams has been at the forefront of coating innovation and service. To earn the trust of our customers, our employees and shareholders, we follow **Seven Guiding Values: Integrity, People, Service, Quality, Performance, Innovation and Growth.**

Our more than 30,000 employees form a service-driven company whose capabilities and resources are unmatched in the coating industry. Consistently recognized as one of the top 100 companies to work for by Fortune magazine, our team is highly motivated to provide solutions that help our customers succeed.

**ProMar<sup>®</sup> 200:** Recommended for interior application on ceilings, walls, and trim of primed plaster, wallboard, wood, masonry and primed metal. Our professional best quality product which offers better durability, touch-up and mar-resistance.

**ProMar<sup>®</sup> 400:** Designed for the professional, this durable, quality interior finish is ideal for walls, ceilings, trim of primed plaster, wallboard, wood, masonry and primed metal. A quality product designed for the professional.

**ProClassic<sup>®</sup> Waterborne:** Perfect for trim, doors, and cabinets. ProClassic combines the performance characteristics of an alkyd with environmental benefits of a waterborne. This product is formulated to provide a durable, non-yellowing finish with excellent wet and dry hide. The flow and leveling characteristics leave no brush or roller marks, creating a lasting impression.

**PrepRite<sup>®</sup> White Pigmented Shellac:** Formulated to permanently hide stains and odors from soot, smoke, and water on any surface. Plus, offers excellent coverage, tannin seal from knots, high spray rate, and fast drying properties.

**PrepRite<sup>®</sup> 200 Latex Primer:** Our best general wall primer for maximum drywall hiding.

**PrepRite<sup>®</sup> 400 Latex Primer:** Good general wall primer for acceptable drywall hiding at an excellent value.

**PrepRite<sup>®</sup> ProBlock Interior/Exterior Primer Sealer:** Seals out tar, solvent markers, crayons, chalk lines, ink, grease and tannin stains.

**PrepRite<sup>®</sup> Blockfiller:** Minimizes pinholes and minor surface imperfections on masonry block and uneven surfaces and allows topcoat uniformity.

**PrepRite<sup>®</sup> Masonry Primer:** For interior masonry and plaster surfaces, masks pinholes and surface imperfections while preventing peeling caused by alkali salt damage.

**Interior Stains and Sealers:** We have a wide variety of stains, sealers and coatings that can be shop applied or field applied. We offer residential, commercial and Industrial applications with some of the best products on the market, like Minwax<sup>®</sup> and Sher-Wood<sup>®</sup>. Top quality performers from a name that you have trusted for over 140 years: Sherwin-Williams.



## EXTERIOR ARCHITECTURAL COATINGS

No two jobs are exactly the same — so Sherwin-Williams makes a full range of exterior coatings to ensure that you can always find the right coating for your needs. Quality Exterior coatings are in demand. Fortunately, we have that covered, with a full range of advanced coatings technologies such as: Moisture Guard™, PermaLast®, Low Temp 35° F, and VinylSafe™. Sherwin-Williams covers it with **Exterior Excellence!**

**Duration® Exterior Latex Coating:** Our advanced exterior formula features PermaLast® Technology, for the most durable, longest-lasting exterior coating available for maximum resistance to blistering and peeling. This thicker, more flexible coating is self-priming on repaints, and requires two coats on new work.

**Resilience™ Exterior Latex:** This paint resists moisture faster than other coatings, plus the quality is superior no matter the climate. Features: MoistureGuard™ Technology. This advanced technology provides resistance to moisture 50% faster so painting can be done later in the day with less concern about dew or impending rain. Also featuring VinylSafe® Technology which allows for painting darker colors on vinyl siding without worrying about warping or buckling. Meets or exceeds most environmental regulations.

**SuperPaint:** 100% acrylic formula provides increased hide, improved flow and leveling, and a lower VOC to meet or exceed most environmental regulations. Resists peeling, blistering, fading and chalking. Also features VinylSafe® Technology.

**A-100® Exterior Latex:** 100% acrylic formula provides increased hide, improved flow and leveling, and a lower VOC to meet or exceed most environmental regulations. Covers efficiently and easily on a wide range of surfaces and is durable and dependable.

**WoodScapes®:** Premium solid color and semi-transparent waterborne stains with excellent performance. Features long-term color retention and weather resistance. WoodScapes has excellent penetration protection for most exterior vertical wood surfaces. Resists mildew and can be applied at temps as low as 35° F.

**DeckScapes™ Deck Care System:** Premium deck finishing system, including surface preparation cleaners, clear finishes, toners, semi-transparent finishes and solid color stains. Comprehensive line of premium prep and stain products providing superior performance, better durability, color retention and adhesion. This advanced waterborne technology allows decks to be cleaned and finished in a day. Waterborne Solid Color Stain offers excellent performance on composite decks as well as traditional wood decks.

**A-100® Exterior Stain Blocking Oil Primer:** Designed for blocking tannin, water, and other stains on exterior wood, manufactured siding, hardboard, rough-sawn siding, and trim as a spot primer or overall primer.

**A-100® Exterior Latex Primer:** Ideal for exterior wood and plywood siding and trim. May also be used for masonry and cement composition panels. Can be applied at low air or surface temperatures down to 35° F. Inhibits mildew growth.

**SherStripe™ Athletic Field Marking Paint:** A complete line of fast-drying, latex emulsion formulas designed specifically for lining and marking natural surfaces such as grass, cinder and dirt playing fields.

# Sher-Crete®

Sherwin-Williams Concrete & Masonry product line-up includes repair mortars, topcoats, stains, sealers, and waterproofers that provide superior, long-lasting protection to concrete and masonry surfaces.

**SherCrete® Flexible Concrete Waterproofer:** The ease of a one-part coating, the waterproof protection of a two-part. Water-based formula offering low VOCs.

- Breathable finish
- Bridges hairline cracks and reduces prep work
- Tintability to hundreds of colors
- Ideal for pool decks, walkways, patios, and interior basement walls

**SherCrete® Thin Coat:** A fiber reinforced patching mortar for vertical or horizontal repairs, ranging from 1/8-inch to 1/2-inch thickness.

**SherCrete® Vertical/Overhead Mortar:** This mortar with integral corrosion inhibitor (CI) is a single component, polymer-modified, cement-based mortar for structurally repairing deteriorated concrete. Use on vertical or overhead surfaces for repairs from 1/4 to 2 inches.

**SherCrete® Extended Deep Pour Mortar:** This mortar with integral corrosion inhibitor (CI) is a single component cement-based mortar for structurally repairing or overlaying deteriorated concrete. Use on horizontal surfaces for repairs deeper than 1 ½ inches (38 mm). It has been pre-extended using kiln dried, uniform, pea gravel to allow for deeper applications. Its formula provides increased strength gain and improved performance for repair applications.

**Loxon® Water Repellants:** If budget and environmental concerns are at the top of your list, Loxon Siloxane Repellant is your ideal choice. This water-based formula boasting zero VOCs has quickly become a favorite among those looking to protect the planet as well as their concrete projects.

- Ideal for large commercial masonry and concrete structures
- Protects against wind-driven rain and chloride attack
- Meets ASTM standards for water repellency

**Loxon® XP Waterproofing System:** This high-build exterior masonry coating can be applied directly to fresh concrete, saving time and labor and accelerating construction schedules.

- No primer needed
- Superior resistance to moisture and wind-driven rain in just two coats
- Highly resistant to alkali and efflorescence
- Recommended for tilt-up, precast, poured-in-place, CMU, block and stucco

**Loxon® Masonry Acrylic System:** Specifically engineered for exterior, above-grade masonry surfaces requiring high performance protection.

- Highly alkali and efflorescence resistant
- Provides a highly durable and weather-resistant finish
- The topcoat contains agents that inhibit growth of mildew on coating surface
- For concrete, cement composition panels, concrete block, brick, and stucco



# PRO

---

## INDUSTRIAL

**Pro Industrial** represents a full line of products that are easily identifiable and represent Sherwin-Williams product offering to the light industrial, commercial, and high performance architectural markets.

**Pro Industrial** has these specific markets in mind:

**Hospitality Facilities** (Hotels, Restaurants, Amusement Parks)

**Healthcare Facilities** (Hospitals, Clinics, Recreational Facilities)

**Educational Facilities** (Schools, Libraries, Universities)

**Commercial Facilities** (Office Buildings, Warehousing, Distribution)

**Light Industrial Facilities** (Manufacturing, Utilities, Assembly Plants)

**Pro Industrial Pro-Cryl Primer:** An advanced technology, self cross-linking acrylic primer. A corrosion resistant coating for both new construction and maintenance applications. Can be used as a primer under water-based or solvent-based high performance topcoats. Corrosion resistant - fast dry - flash rust / early rust resistant - VOC compliant - single component - early moisture resistant.

**Pro Industrial 0 VOC Acrylic:** An ambient cured, single component acrylic coating. It is designed for interior and exterior industrial and commercial applications. Chemical resistant, superior color and gloss retention and outstanding early moisture resistance. Flash rust and early rust resistance. Low odor. Fast dry. HAPS free. Zero VOCs, which meets or exceeds most environmental regulations. Available in gloss or semi-gloss.

**Pro Industrial Multi-Surface Acrylic:** A waterborne acrylic gloss for interior and exterior use on marginally prepared metal or masonry surfaces. High hiding with excellent stain-blocking properties. Requires minimal surface prep – adhering well to marginally prepared surfaces. Features gloss, fast dry, easy application and dry fall properties.

**Pro Industrial Enamel 100:** A high solids, less than 100 g/l VOC, alkyd gloss topcoat. It is easy to apply by brush, roll or spray and is intended for interior/exterior use in industrial and commercial applications. Chip and flake resistant.

**Pro Industrial Pre-Catalyzed Epoxy:** Single-component, water-based epoxy formulas that are revolutionary. These single-component, pre-catalyzed waterborne acrylic epoxies offer the adhesion, durability and resistance to stains and most cleaning solvents usually characteristic of two-component, waterborne acrylic epoxy products. These products are low in VOC, have a very mild odor, and can be applied over a wide variety of primers on properly prepared interior metal, wood, masonry, plaster and drywall. No need to mix or measure and no limited pot life. Application and cleanup is fast and easy. Features exceptional durability, washability, chemical and impact resistance as well as excellent hide and coverage. Available in eg-shel and semi-gloss finishes.

**Pro Industrial High Performance Epoxy:** A chemical resistant, abrasion resistant, 80% volume solids, two-package, epoxy polyamine for use in industrial maintenance environments and high performance architectural applications.



**SHERWIN-WILLIAMS.**



**SHERWIN-WILLIAMS**  
Protective & Marine Coatings Division



Sherwin-Williams Protective and Marine Coatings group serves North America with a broad line of high performance coatings, comprehensive technical service and the industry's largest distribution system. Relying on more than 140 years of experience in formulating industrial coating, the group provides solutions for applications where extreme corrosion, abrasion and chemical attack are present.

|                                                                                    |                                                                                                    |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
|   | <p><b>Specializing in Tank Linings, Containment &amp; Corrosion Control Coatings.</b></p>          |
|   | <p><b>Offers a broad range of solutions for every Industrial Floor application.</b></p>            |
|  | <p><b>Providing proven coatings in harsh conditions for the Marine &amp; Offshore markets.</b></p> |



The General Polymers brand name is synonymous with high quality, professionally installed, seamless floor and wall systems. The product line ranges from highly decorative terrazzo to high performance industrial systems. The company leads the industry in commercializing new technology to solve the problems and address the needs of our customers.

**Terrazzo:** Turn your floors into works of art. Look to thin-set Terrazzo for the styles and selection that will set your imagination free.

**Ceramic Carpet™:** Blends colored quartz with clear resin for a truly unique style, available in a variety of color blends.

**Decorative Mosaic Coating System:** Varying sizes of multicolored vinyl chips bring depth and highlight the design while providing excellent durability and good chemical resistance.



The **GreenSure®** designation is to help you identify the products that meet our highest green coating standards. These high performance products were designed and manufactured taking steps to reduce environmental impact and to meet or exceed the most stringent regulatory requirements. For more VOC, Green and LEED® acceptable products please visit: [swgreenspecs.com](http://swgreenspecs.com).

**Harmony®** is the ultimate green coating. This superior product meets or exceeds most environmental regulations, and with zero VOCs, low odor, excellent hide and a durable finish, it maximizes long-term satisfaction. Harmony also has anti-microbial properties, which inhibit the growth of microbes on the surface of the paint film.

This environmentally preferred premium product meets or exceeds the most stringent regulatory requirements.

- Long-term durability
- Highest indoor air quality ratings
- Can be applied in occupied rooms without causing disruption
- Silica-free
- Available in flat, egg-shell and semi-gloss finishes, as well as primer
- GREENGUARD Indoor Air Quality Certified® as well as GREENGUARD Children & Schools<sup>SM</sup>



**Duration Home®**: The ultimate in durability, washability, and a beautiful finish. Using rigid ASTM standards, independent labs prove Duration Home's superior washability and color retention. Its low VOC, low odor formula won't disrupt occupants, and the anti-microbial formula inhibits the growth of microbes on the surface of the paint film. The highly washable finish means fewer repaints, so walls look great for years.

- Most stains wipe clean with water or mild soap. No color rub-off
- Patented cross-linking formula prevents stains from penetrating
- Provides very good hide and touch-up
- Available in matte, satin and semi-gloss finishes along with deep, vivid accent colors

**Builders Solution®**: Long preferred for high-end new residential construction thanks to its premium finish and easy touch-up, the Builders Solution topcoat is also low VOC. That makes it a perfect choice when you need to specify 'green' construction materials.

- Accutouch™ Technology for superior touch-up
- Unique two-coat system designed to solve new residential problems: drywall imperfections and touch-ups
- Better burnish resistance, scrubability and superior washability
- Optimal touch-up on light or dark colors
- Reduce callbacks and satisfy builders with superior results

Not only do Duration Home, Harmony, and Builders Solution carry the GreenSure logo designation, they have earned the **Good Housekeeping Seal of Approval**.

**ProGreen® 200**: Of course, when you want a coating that's just as easy on the environment as it is on the budget, there's ProGreen 200. With fewer than 50 g/L VOCs, and low odor, ProGreen 200 meets or exceeds most environmental regulations, while delivering important benefits like easy application, good hide and a durable finish. Features:

- Can be applied in occupied areas
- Economical solution for new commercial construction
- Available in Primer, Flat, Egg-Shell, and Semi-Gloss

*At Sherwin-Williams we can partner with you to achieve a LEED® certifiable project. Let Sherwin-Williams' full range of low VOC coatings and flooring help you take advantage of this powerful market force. To learn more, contact your local Sherwin-Williams sales rep or call 800-524-5979. Additional resources can be found at: [swgreenspecs.com](http://swgreenspecs.com).*



**SHERWIN-WILLIAMS.**



Paint with nature in mind.

No matter if you're specifying for New Residential, Commercial, Environmental, Health Care, Terrazzo Floors or Heavy Industrial Tank Linings, at Sherwin-Williams we can partner with you to achieve your goals.

We can satisfy your most exacting specifications.

***Ask Sherwin-Williams.™***

To learn more contact your local  
Sherwin-Williams sales rep or

**call 800-524-5979.**

Additional resources can be found at:  
*sherwin-williams.com* and *swspecs.com* or you can quickly  
access our green initiatives at *swgreenspecs.com*.

The Sherwin-Williams Company  
101 Prospect Ave.  
Cleveland, OH 44115