

The Johnsonite® Integrated System includes flooring, stairwell management, finishing borders (wall base) and finishing accessories to complete your high-performance space design. For sampling and the most updated specifications, warranty, installation and maintenance details, contact Johnsonite or visit us at johnsonite.com.

Johnsonite
A Tarkett Company
16910 Munn Road
Chagrin Falls, OH 44023
800-899-8916 or 440-543-8916

www.johnsonite.com

Johnsonite®

©2007 Johnsonite Inc. Printed in the USA 95100-619 05/07 JOH2216



Johnsonite®

WALL FINISHING SYSTEM

Millwork®
Contoured Wall Base, Chair Rail
and Corner Guard

“Ninety percent of business decision-makers say improvements in design can increase productivity.”

*ASID research study:
The Impact of Interior Design on the Bottom Line*

Studies show that high-quality design that integrates all interior elements can increase productivity by as much as 20 percent.* The right flooring can make people more comfortable, control noise, reduce slips/falls, lower maintenance costs and downtime, and minimize change-rate costs. And it can motivate and inspire through color, pattern, texture and design.

**INTRODUCING THE WORLD'S MOST INTEGRATED,
HIGH-PERFORMANCE FLOORING SYSTEM.**

Now you can design floors that make perfect sense over the whole space, working with one trusted partner. Our system, which includes flooring, stairwell management, finishing borders (wall base), chair rail and finishing accessories, is modeled after all good design paradigms, uniting function and aesthetics to help you create efficiencies that pay off for the end-user in real lifetime return. Every element is designed to work together functionally, aesthetically and logistically.

THE SYSTEM MAKES YOUR LIFE EASIER.

The Johnsonite system simplifies the design process by allowing you to deal with a single knowledgeable source – a Johnsonite consultant – to help you create high-performance spaces that work hard for end-users.



*The Gensler Design + Performance Index
The U.S. Workplace Survey

Creating high-performance environments.

The Millwork® Wall Finishing System

Leave it to Johnsonite, creators of the world's most integrated flooring system, to come up with a high-performance system to finish off a space more easily and affordably. It's the Millwork Wall Finishing System. Reflecting the look of real wood, Millwork includes everything you need to totally coordinate a space, adding rich architectural detail without high cost.

A SYSTEM WITHIN A SYSTEM

The Millwork Wall Finishing System includes contoured wall base, chair rail, a corner guard, quarter round and shoe moulding. Designed to coordinate with each other and with other elements in the space, they help simplify the finishing process.

The true beauty of Millwork, however, could be the cost savings versus real wood. Lower initial costs combined with ongoing maintenance savings makes Millwork a high-performance solution that helps boost productivity and ROI.

HOW MILLWORK HELPS YOU CREATE HIGH-PERFORMANCE ENVIRONMENTS

Easy to install. Easy to maintain.

- installs in half the time and cost versus real wood
- installs easily around gentle curves and irregular surfaces
- eliminates time-consuming priming, painting and filling knotholes
- compatible with modern construction materials such as steel stud interior walls
- requires fewer man-hours to keep clean
- resists stains, dents and scratches
- never needs to be repainted or touched up

Long life cycle. Low environmental impact.

- non-fading surface free of knots, grains or nail-heads
- maintains appearance over time
- extended life means fewer replacements
- less disruption to people using the space
- eliminates need to harvest lumber
- longer life means fewer resources to remake, transport and install
- won't splinter, chip or absorb liquids

Elements for a motivating space.

- 17 contoured wall base profiles
- 3 chair rail designs
- corner guard, quarter round and shoe moulding
- 19 Wall Art™ patterns reflecting wood grains and metallics*
- custom colors to match existing elements
- coordinating transitions and other finishing accessories

**Available in specific profiles*



Millwork®. Higher performance. Half the time and cost.

Maybe you can't justify finishing with real wood economically. That doesn't mean you have to settle for less aesthetically. Today, Millwork delivers that same rich look of finely milled wood – but at roughly half the cost. Offering everything from the most intricate detail to the cleanest contemporary lines, the Millwork Wall Finishing System is designed to work within virtually any design style.

Unlike painted wood, each element in the Millwork Wall Finishing System is easy to install, eliminating the need to sand, paint, nail and finally fill and finish nail holes and gaps. Instead, Millwork installs easily in half the time with regular cove base adhesive, even around gentle curves and irregular surfaces.

Millwork is also more durable and easier to maintain, requiring far fewer man-hours to keep it looking its best. Unlike real wood, Millwork won't splinter, chip or absorb moisture and humidity. It is resistant to scratches. And it won't need to be repainted or touched up down the road like real wood.

Best of all, the Millwork Wall Finishing System is part of a larger system of integrated, high-performance solutions, including rubber and vinyl flooring, stair treads, standard wall base and the Color Foundations™ System of color coordination. Everything you need from one trusted source.



Real Wood vs. Millwork Installation and Finishing Comparison

real wood vs.
millwork

WOOD

1. Prime
2. Paint
3. Nail to install
4. Fill holes and gaps
5. Paint
6. Repair as needed

MILLWORK

1. Apply adhesive and adhere to wall



Millwork is a cost-effective alternative to real wood when considering material, installation and maintenance.



Millwork® Contoured Wall Base.

High performance comes in many sizes and shapes.

The Millwork Wall Finishing System includes more than 20 elements in all: 17 contoured wall base profiles, 3 chair rail profiles, a corner guard, self-stick quarter round and shoe moulding.

Working within the Millwork Wall Finishing System can eliminate concerns of mismatched wood or variations in color. Johnsonite carefully coordinates profile designs and guarantees color consistency from one batch to another, from one year to the next.

APPLICATIONS:

- guest rooms
- exam rooms
- offices
- lobbies
- classrooms
- conference rooms
- corridors
- multipurpose rooms
- break rooms
- sales areas
- libraries
- bathrooms
- patient rooms
- cafeterias
- vending areas




OVERLOOK
MW-XX-C



ATTACHÉ
MW-XX-E



DIPLOMAT
MW-XX-A



AMBASSADOR
MW-XX-K



EMISSARY
MW-XX-P



SILHOUETTE*
MW-XX-J



OUTLINE
MW-XX-D



**Silhouette and Envoy profiles cover expansion space needed for laminate floors.*

MILLWORK CHAIR RAIL



FORTIS
CHR-XX



BASTION
CHR-XX-B



RAMPART
CHR-XX-C



COLOR PALETTE AVAILABILITY

- A = Color palette A
- B = Color palette B
- C = Color palette C
- D = Color palette D
- W = Available in Wall Art palette
- ◆ = Available in Selects Color Palette

Colors other than standard available by special request.

See full color availability on page 11.



MILLWORK CORNER GUARD
VBG-XX-C



SHOE MOULDING
SHU-XX-A



QUARTER ROUND
.5" QTR-XX-A
.75" QTR-XX-D




MONARCH
MW-XX-M



ENVOY*
MW-XX-L



INFLECTION
MW-XX-G



MANDALAY
4.5" MW-XX-H
6" MW-XX-H6
2.5" MW-XX-H25



REVEAL
4.25" MW-XX-F
6" MW-XX-F6



EQUINOX
MW-XX-R



OBLIQUE
MW-XX-N



Millwork® Wall Finishing System.

Find the colors that perform best for you.

The Millwork Wall Finishing System offers total freedom of design with the industry's most complete palette of colors and patterns to inspire any design. All Millwork profiles are available in our special Selects Color Palette, an extensive portfolio of neutrals that mimic common finishes in traditional wood. Four profiles – Diplomat®, Outline®, Inflection and Reveal® – are available in the full palette of more than 140 colors. Some profiles are also available in 19 distinct Wall Art patterns.

COLOR FOUNDATIONS™

Now you'll never again have to worry about coordinating neutrals across product lines, patterns or textures. We guarantee you'll always have neutrals that coordinate over our whole system of rubber, vinyl, linoleum, stairwell systems, finishing borders and accessories. And with six neutral palettes – Warm Grey, Cool Grey, Warm Beige, Cool Beige, Black and White – you can design any space with confidence.



SELECTS COLOR PALETTE



COORDINATING JOHNSONITE COLORS

Johnsonite has a full palette of coordinating colors and a color guide with exact color representations so you can choose colors without having to request additional samples. If you don't see your color, we can create it – and virtually any other color – with our industry-leading custom color capabilities.

We've identified Color Foundations neutrals in the following way: **WB** (warm beige), **CB** (cool beige), **WG** (warm grey), **CG** (cool grey), **B** (black), **W** (white)

Wall Art™ Decorative Wall Base



PLF Armor



GSM Bullion



GGT Ironware



MSA Baroque



SLF Silversmith



APT Medallion



NMP Natural Maple



LBE Light Beech



MBE Medium Beech



DBE Dark Beech



LOK Light Oak



WOK Willow Oak



MOK Medium Oak



DOK Dark Oak



POK Pin Oak



ACH Amber Cherry



CRW Mission



WAL Walnut



WEN Wenge Wood

Choose a Wall Art pattern to bring in the luxurious look of metal, stone or wood without the high costs or the typical installation and maintenance nightmares.

SILHOUETTE

REVEAL

OUTLINE

OBLIQUE

QUARTER ROUND

SHOE MOULDING



STANDARD PROFILES


Reveal
MW-XX-F



Silhouette
MW-XX-J



Outline
MW-XX-D



Oblique
MW-XX-N



Quarter Round
QTR-XX-A




Quarter Round
QTR-XX-D



Shoe Moulding
SHU-XX-A




Millwork® Contoured Wall Base specifications



MILLWORK CHAIR RAIL

FORTIS CHR-XX
BASTION CHR-XX-B
RAMPART CHR-XX-C




MILLWORK CORNER GUARD

VBG-XX-C




MILLWORK ACCESSORIES

QUARTER ROUND



SHOE MOULDING
SHU-XX-A



MILLWORK WALL FINISHING SYSTEM							
Millwork Profile	Product Code	Profile Type	Color Availability	Profile Height	Length Per Piece	Linear Feet Per Carton	Pounds Per Carton
Ambassador	MW-XX-K	Wall Base	Selects	4" (10.1 cm)	8' (2.4 m)	48' (14.6 m)	42 lbs
Attache	MW-XX-E	Wall Base	Selects	6" (15.2 cm)	8' (2.4 m)	64' (19.5 m)	57 lbs
Diplomat	MW-XX-A	Wall Base	A,B,C,D	4.5" (11.4 cm)	8' (2.4 m)	48' (14.6 m)	44 lbs
Emissary	MW-XX-P	Wall Base	Selects	4.5" (11.4 cm)	8' (2.4 m)	48' (14.6 m)	50 lbs
Envoy	MW-XX-L	Wall Base	Selects	5.5" (13.9 cm)	8' (2.4 m)	32' (9.8 m)	66 lbs
Equinox	MW-XX-R	Wall Base	Selects	4.5" (11.4 cm)	8' (2.4 m)	48' (14.6 m)	50 lbs
Inflection	MW-XX-G	Wall Base	A,B,C,D	5.25" (13.3 cm)	8' (2.4 m)	48' (14.6 m)	65 lbs
Mandalay 2.5	MW-XX-H25	Wall Base	Selects	2.5" (6.4 cm)	8' (2.4 m)	40' (12.2 m)	40 lbs
Mandalay	MW-XX-H	Wall Base	Selects	4.5" (11.4 cm)	8' (2.4 m)	40' (12.2 m)	52 lbs
Mandalay 6	MW-XX-H6	Wall Base	Selects	6" (15.2 cm)	8' (2.4 m)	32' (9.8 m)	54 lbs
Monarch	MW-XX-M	Wall Base	Selects	6" (15.2 cm)	8' (2.4 m)	48' (14.6 m)	46 lbs
Oblique	MW-XX-N	Wall Base	Selects, Wall Art	3" (7.6 cm)	8' (2.4 m)	56' (17.0 m)	42 lbs
Outline	MW-XX-D	Wall Base	A,B,C,D, Wall Art	3.5" (8.9 cm)	8' (2.4 m)	80' (24.4 m)	47 lbs
Overlook	MW-XX-C	Wall Base	Selects	7.5" (19.1cm)	8' (2.4 m)	48' (14.6 m)	56 lbs
Reveal	MW-XX-F	Wall Base	A,B,C,D, Wall Art	4.25" (10.8 cm)	8' (2.4 m)	64' (19.5 m)	50 lbs
Reveal 6	MW-XX-F6	Wall Base	Selects	6" (15.2 cm)	8' (2.4 m)	64' (19.5 m)	58 lbs
Silhouette	MW-XX-J	Wall Base	Selects, Wall Art	4" (10.1 cm)	8' (2.4 m)	48' (14.6 m)	42 lbs
Bastion	CHR-XX-B	Chair Rail	Selects	4" (10.1 cm)	8' (2.4 m)	48' (14.6 m)	27 lbs
Fortis	CHR - XX	Chair Rail	Selects	3" (7.6 cm)	8' (2.4 m)	80' (24.4 m)	32 lbs
Rampart	CHR-XX-C	Chair Rail	Selects	4" (10.1 cm)	8' (2.4 m)	40' (12.2 m)	36 lbs
Corner Guard	VBG-XX-C	Accessory	A*	1.25" (3.2 cm)	8' (2.4 m)	80' (24.4 m)	36 lbs
1/2" Quarter Round	QTR-XX-A	Accessory	A, Wall Art**	0.5" (1.3 cm)	8' (2.4 m)	160' (48.7 m)	24 lbs
3/4" Quarter Round	QTR-XX-D	Accessory	A, Wall Art**	0.75" (1.9 cm)	8' (2.4 m)	80' (24.4 m)	30 lbs
Shoe Moulding	SHU-XX-A	Accessory	A, Wall Art**	1.5" (3.8 cm)	8' (2.4 m)	80' (24.4 m)	21 lbs

*Corner Guard available in color palette A + colors 08, 11, 14, 15, 27, 50, 57, 66, 68, 69, 79, 129, 132, 150, 167, 194
**Quarter Rounds and Shoe Moulding available in color palette A + colors 00, 08, 14, 15, 50, 68, 129, 132

HOW TO ORDER: 1. Select Product Code - i.e., MW-XX-D 2. Select Color Code - i.e., 42 - Substitute color code for XX - MW-42-D

CONTOURED RESILIENT WALL BASE

The wood look resilient wall base furnished under this specification or listed herein shall be **JOHNSONITE MILLWORK RESILIENT WALL BASE**. It shall be constructed of first quality raw materials and be free of any imperfections that would detract from its appearance. The Johnsonite Millwork Resilient Wall Base shall replicate routed wood moulding profiles and be specified by style ____ [specify **MW-A** with a thickness of 3/8" (9.52 mm) at its thickest point and a height of 4-1/2" (11.43 cm); **MW-C** with a thickness of 1/4" (6.35 mm) at its thickest point and a height of 7-1/2" (19.05 cm); **MW-D** with a thickness of 5/16" (7.92 mm) at its thickest point and a height of 3-1/2" (8.89 cm); **MW-E**: Same as "C" profile above, except 6" (15.24 cm) in height; **MW-F** with a thickness of 1/4" (6.35 mm) and a height of 4-1/4" (10.8 cm); **MW-F6** with a thickness of 1/4" (6.35 mm) and a height of 6" (15.24 cm); **MW-G**: 3/8" (9.52 mm) thick and a height of 5-1/4" (13.34 cm); **MW-H25**: 3/8" (9.52 mm) thick and a height of 2-1/2" (6.35 cm); **MW-H**: 3/8" (9.52 mm) thick and a height of 4-1/2" (11.43 cm); **MW-H6**: 3/8" (9.52 mm) thick and a height of 6" (15.24 cm); **MW-J**: Same as "D" profile above, except 1/2" (12.7 mm) at its thickest point and a height of 4" (10.16 cm); **MW-K**: Same as "A" profile above, except 4" (10.16 cm) in height; **MW-L**: 3/4" (19.05 mm) at its thickest point and a height of 5-1/2" (13.97 cm); **MW-M**: with a thickness of 5/16" (7.92 mm) at its thickest point and a height of 6" (15.24 cm) in height; **MW-P**: with a thickness of .531" (13.49 mm) at its thickest point and a height of

4-1/2" (11.43 cm) with toe; **MW-R**: with a thickness of 3/8" (9.52 mm) at its thickest point and a height of 4-1/2" (11.43 cm); **MW-N**: with a thickness of 3/8" (9.52 mm) at its thickest point and a height of 3" (7.62 cm) in height]. The color shall be ____ (specify by color number and name). Inside and outside corners shall be miter cut and fitted using a compound miter saw in the field. Factory made corners are not available for these profiles. **For the Johnsonite warranty to apply**, the wall base shall be installed on porous surfaces with Johnsonite #960 Acrylic Cove Base Adhesive and on nonporous surfaces with Johnsonite #945 Contact Bond Adhesive. The wall base can be installed on porous and nonporous surfaces with Power Tape. The wall base shall meet the dimensional and performance requirements of ASTM F-1861, Type TP, Group 1 (solid) Standard Specification for Resilient Wall Base.

CONTOURED RESILIENT CHAIR RAIL

The wood look resilient wall base furnished under this specification or listed herein shall be **JOHNSONITE MILLWORK RESILIENT CHAIR RAIL**. It shall be constructed of first quality raw materials and be free of any imperfections that would detract from its appearance. The Johnsonite Millwork Resilient Chair Rail shall replicate routed wood moulding profiles and be specified by style ____ [specify **CHR** with a thickness of 3/16" (4.76 mm) at its thickest point and a width of 3" (7.62 cm); **CHR-B** with a thickness of 5/16" (7.94 mm) at its thickest point and a width of 4" (10.16 cm) or **CHR-C** with a thickness of 3/8" (9.53 mm) at its thickest point and a width of 4" (10.16 cm)]. The color shall be ____ (specify by color number and name). **For the Johnsonite warranty to apply**, the chair rail shall be installed on porous or nonporous surfaces with Johnsonite #945 Contact Bond Adhesive.

